



Page
464-470

- Plaster Instruments






SF-20-101
ANGLE
130 mm

SF-20-102
DUROTIP
ANGLE
130 mm


for soft wire up to diam.	0,5 mm	0,6 mm
for hard wire up to diam.	0,3 mm	0,4 mm



SF-20-103
120 mm


SF-20-104
DUROTIP
120 mm

for soft wire up to diam.	1,2 mm	1,2 mm
for hard wire up to diam.	0,8 mm	0,8 mm



SF-20-105
HARVEY
125 mm

0,4 mm
0,3 mm



SF-20-106
150 mm

for soft wire up to diam.	1,5 mm
for hard wire up to diam.	1,0 mm




SF-20-107
160 mm

1,5 mm
1,2 mm



SF-20-108
140 mm

1,5 mm
1,0 mm



SF-20-109
180 mm

for soft wire
up to diam. 2,0 mm
For hard wire 1,5 mm
up to diam
specially hardened
cutting edges, front
and lateral cutting
action

SF-20-110
REILL
175 mm


for soft wire
up to diam. 2,0 mm
For hard wire 1,6 mm
up to diam
specially hardened
cutting edges, for
cutting off wires close
to the bone

SF-20-111
235 mm

for soft wire
up to diam. 3,0 mm
For hard wire 2,2 mm
up to diam



KILLIAN
SF-20-112
200 mm



SF-20-113 - SF-20-114
SF-20-113 195 mm
SF-20-114 225 mm




LEBSCHE
SF-20-115
Sternum chisel
200 mm




SF-20-116
230 mm



COLLIN
SF-20-117
195 mm



GLUCK
SF-20-118
190 mm



SF-20-119
STILLE-AESULAP
260 mm

SF-20-120
STILLE-AESULAP
360 mm

Blade with reinforced back




SF-20-121
STILLE
230 mm

SF-20-122
Spare blade



SF-20-123
STILLE
370 mm

SF-20-124
Spare blade



SF-20-125
STILLE
240 mm

SF-20-126
Spare blade



BEESON
SF-20-127
30 cm



MOD.USA
SF-20-128
23 cm



HAGLUND-STILLE
SF-20-129
20 cm



SF-20-130
29 cm



WOLFF
SF-20-131
10 cm



WOLFF
SF-20-132
24 cm



Surgiforce Instruments



Opposite Surgical Association,
Malkay Kalan, Marala Road,
Sialkot-51050 Pakistan.



+92 523 559131



info@surgiforce.com
sales@surgiforce.com



www.surgiforce.com



Our Certifications:

ISO 9001

CE Certified

EN 13485:2012

ISO 7153-1

ISO 7151

ISO 17664:2004

ISO 13402

ISO 15223

